
National Registry of Deliberate Self Harm Annual Report 2011



Paul Corcoran, Eve Griffin
National Suicide Research Foundation
17 July 2012
Department of Health and Children, Hawkin's House, Dublin



Acknowledgements

Data Registration Officers

 Liisa Aula, Agnieszka Biedrycka, Grace Boon, Kate Brennan, James Buckley, Ursula Burke, Lisa Byrne, Laura Cosgrove, Rita Cullivan, Breda Heavey, Ailish Melia, Catherine Murphy, Mary Nix, Diarmuid O'Connor, Kathleen O'Donnell, Eileen Quinn, Karen Twomey, Una Walsh

Other Registry and NSRF colleagues

 Ella Arensman, Tony Fitzgerald, Helen S Keeley, Irene O'Farrell, Ivan J Perry, Eileen Williamson


Health Service Executive

National Office for Suicide Prevention, Suicide Prevention Resource
 Officers, Hospital staff, HSE departments/units



Registry objectives

- Establish the incidence of hospital treated deliberate self harm
- To describe the pattern of presentations and the nature of the self harm behaviour involved
- To monitor trends over time and by area
- To estimate the risk of repeated self harm presenting to hospital







Number of deliberate self harm presentations and patients


Year	Presentations	% diff	Persons	% diff
2002	10,537	-	8,421	-
2003	11,204	+6%	8,805	+5%
2004	11,092	-1%	8,610	-2%
2005	10,789	-3%	8,594	-
2006	10,688	-1%	8,218	-4%
2007	11,084	+4%	8,598	+5%
2008	11,700	+6%	9,218	+7%
2009	11,966	+3%	9,493	+3%
2010	12,337	+3%	9,887	+4%
2011	12,216	-1%	9,834	<-1%

Trend in deliberate self harm rate




Incidence rate by age and gender






Methods of self harm




Alcohol was involved in 40% and 38% of male and female acts




Trend in acts involving attempted hanging



Drugs used in intentional overdose acts








Repetition of deliberate self harm presentations


- 12,216 presentations by 9,834 individuals
 - => 2382 (19.5%) were repeat acts
- 1,346 individuals (13.7%) repeated in 2011
 - These 1,346 made a total of 3,725 presentations
 - 112 individuals made a total 821 presentations
- Risk of repetition is greatest in the short-term
 - 16.1% of presentations in Jan-Sep 2011 were followed by a repeat presentation within 3 months



Repeated self harm presentations to hospital




Repeated self harm presentations to hospital






Repeated self harm presentations to hospital (c) by method



Repeated self harm presentations to hospital



Thank You!

Paul Corcoran / Eve Griffin, National Suicide Research Foundation.

Paul.Corcoran@nsrf.ie

Eve.Griffin@nsrf.ie

